IFWO

RAW SEQUENCE LISTING
PATENT APPLICATION: **US/10/820,622**

DATE: 10/01/2004
TIME: 10:50:21

Input Set : **N:\LMOORE\pto.lm.txt**
Output Set: **N:\CRF4\10012004\J820622.raw**

```
 4 <110> APPLICANT: Sirna Therapeutics, Inc.
 5       Susan, Radka
 7 <120> TITLE OF INVENTION: Antibodies Having Specificity for Nucleic Acids
 9 <130> FILE REFERENCE: 900/051 (MBHB02-030-B)
11 <140> CURRENT APPLICATION NUMBER: US 10/820,622
12 <141> CURRENT FILING DATE: 2004-04-08
14 <150> PRIOR APPLICATION NUMBER: US 10/366,191
15 <151> PRIOR FILING DATE: 2003-02-12
17 <150> PRIOR APPLICATION NUMBER: US 60/356,298
18 <151> PRIOR FILING DATE: 2002-02-13
20 <160> NUMBER OF SEQ ID NOS: 76
22 <170> SOFTWARE: PatentIn version 3.0
25 <210> SEQ ID NO: 1
26 <211> LENGTH: 34
27 <212> TYPE: RNA
28 <213> ORGANISM: Artificial Sequence
30 <220> FEATURE:
31 <223> OTHER INFORMATION: Description of Artificial Sequence: Enzymatic Nucleic Acid
35 <220> FEATURE:
36 <221> NAME/KEY: misc_feature
37 <222> LOCATION: (1)..(4)
38 <223> OTHER INFORMATION: Phosphorothioate 3'-Internucleotide Linkage
40 <220> FEATURE:
41 <221> NAME/KEY: misc_feature
42 <222> LOCATION: (1)..(7)
43 <223> OTHER INFORMATION: 2'-O-Methyl
45 <220> FEATURE:
46 <221> NAME/KEY: misc_feature
47 <222> LOCATION: (11)..(11)
48 <223> OTHER INFORMATION: 2'-O-Methyl
50 <220> FEATURE:
51 <221> NAME/KEY: misc_feature
52 <222> LOCATION: (13)..(25)
53 <223> OTHER INFORMATION: 2'-O-Methyl
55 <220> FEATURE:
56 <221> NAME/KEY: misc_feature
57 <222> LOCATION: (27)..(28)
58 <223> OTHER INFORMATION: 2'-O-Methyl
60 <220> FEATURE:
61 <221> NAME/KEY: misc_feature
62 <222> LOCATION: (30)..(34)
63 <223> OTHER INFORMATION: 2'-O-Methyl
65 <220> FEATURE:
```

ENTERED

RAW SEQUENCE LISTING   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:21

Input Set : **N:\LMOORE\pto.lm.txt**
Output Set: **N:\CRF4\10012004\J820622.raw**

```
 66 <221> NAME/KEY: misc_feature
 67 <222> LOCATION: (8)..(8)
 68 <223> OTHER INFORMATION: 2'-deoxy-2'-C-allyl
 71 <220> FEATURE:
 72 <221> NAME/KEY: misc_feature
 73 <222> LOCATION: (34)..(34)
 74 <223> OTHER INFORMATION: 3'-end phosphate attached to an inverted deoxyabasic moiety,
in a 3'-3
 75      orientation
 77 <400> SEQUENCE: 1
 78 gaguugcuga ugaggccgaa aggccgaaag ucug                              34
 81 <210> SEQ ID NO: 2
 82 <211> LENGTH: 13
 84 <212> TYPE: RNA
 85 <213> ORGANISM: Homo Sapien
 87 <400> SEQUENCE: 2
 88 ugagcugcac ugc 13
 91 <210> SEQ ID NO: 3
 92 <211> LENGTH: 33
 93 <212> TYPE: RNA
 94 <213> ORGANISM: Artificial Sequence
 96 <220> FEATURE:
 97 <223> OTHER INFORMATION: Description of Artificial Sequence: Enzymatic Nucleic Acid
100 <220> FEATURE:
101 <221> NAME/KEY: misc_feature
102 <222> LOCATION: (1)..(4)
103 <223> OTHER INFORMATION: Phosphorothioate 3'-Internucleotide Linkage
105 <220> FEATURE:
106 <221> NAME/KEY: misc_feature
107 <222> LOCATION: (1)..(15)
108 <223> OTHER INFORMATION: 2'-O-Methyl
110 <220> FEATURE:
111 <221> NAME/KEY: misc_feature
112 <222> LOCATION: (17)..(22)
113 <223> OTHER INFORMATION: 2'-O-Methyl
115 <220> FEATURE:
116 <221> NAME/KEY: misc_feature
117 <222> LOCATION: (25)..(25)
118 <223> OTHER INFORMATION: 2'-O-Methyl
121 <220> FEATURE:
122 <221> NAME/KEY: misc_feature
123 <222> LOCATION: (27)..(33)
124 <223> OTHER INFORMATION: 2'-O-Methyl
126 <220> FEATURE:
127 <221> NAME/KEY: misc_feature
128 <222> LOCATION: (16)..(16)
129 <223> OTHER INFORMATION: 2'-deoxy-2'-amino
132 <220> FEATURE:
133 <221> NAME/KEY: misc_feature
134 <222> LOCATION: (26)..(26)
```

RAW SEQUENCE LISTING   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:21

Input Set : **N:\LMOORE\pto.lm.txt**
Output Set: **N:\CRF4\10012004\J820622.raw**

```
135 <223> OTHER INFORMATION: 2'-deoxy-2'-amino
137 <220> FEATURE:
138 <221> NAME/KEY: misc_feature
139 <222> LOCATION: (33)..(33)
140 <223> OTHER INFORMATION: 3'-end phosphate attached to an inverted deoxyabasic moiety,
in a 3'-3
141         orientation
143 <400> SEQUENCE: 3
144 gcaguggccg aaaggcgagu gaggucuagc uca                              33
147 <210> SEQ ID NO: 4
148 <211> LENGTH: 15
149 <212> TYPE: RNA
150 <213> ORGANISM: Artificial Sequence
152 <220> FEATURE:
153 <223> OTHER INFORMATION: Description of Artificial Sequence: Nucleic Acid Substrate
156 <220> FEATURE:
157 <221> NAME/KEY: misc_feature
158 <222> LOCATION: (1)..(6)
159 <223> OTHER INFORMATION: n stands for a, c, g, or u
162 <220> FEATURE:
163 <221> NAME/KEY: misc_feature
164 <222> LOCATION: (9)..(15)
165 <223> OTHER INFORMATION: n stands for a, c, g, or u
167 <400> SEQUENCE: 4
168 nnnnnnuhnn nnnnn                                                  15
171 <210> SEQ ID NO: 5
172 <211> LENGTH: 36
173 <212> TYPE: RNA
174 <213> ORGANISM: Artificial Sequence
176 <220> FEATURE:
177 <223> OTHER INFORMATION: Description of Artificial Sequence: Enzymatic Nucleic Acid
180 <220> FEATURE:
181 <221> NAME/KEY: misc_feature
182 <222> LOCATION: (1)..(7)
183 <223> OTHER INFORMATION: n stands for a, c, g, or u
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <222> LOCATION: (16)..(18)
188 <223> OTHER INFORMATION: n stands for a, c, g, or u
190 <220> FEATURE:
191 <221> NAME/KEY: misc_feature
192 <222> LOCATION: (23)..(25)
193 <223> OTHER INFORMATION: n stands for a, c, g, or u
195 <220> FEATURE:
196 <221> NAME/KEY: misc_feature
197 <222> LOCATION: (31)..(36)
198 <223> OTHER INFORMATION: n stands for a, c, g, or u
201 <220> FEATURE:
202 <221> NAME/KEY: misc_feature
203 <222> LOCATION: (1)..(8)
```

W-->

RAW SEQUENCE LISTING   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:21

Input Set : **N:\LMOORE\pto.lm.txt**
Output Set: **N:\CRF4\10012004\J820622.raw**

```
204 <223> OTHER INFORMATION: 2'-O-Methyl
206 <220> FEATURE:
207 <221> NAME/KEY: misc_feature
208 <222> LOCATION: (12)..(12)
209 <223> OTHER INFORMATION: 2'-O-Methyl
211 <220> FEATURE:
212 <221> NAME/KEY: misc_feature
213 <222> LOCATION: (14)..(26)
214 <223> OTHER INFORMATION: 2'-O-Methyl
216 <220> FEATURE:
217 <221> NAME/KEY: misc_feature
218 <222> LOCATION: (28)..(29)
219 <223> OTHER INFORMATION: 2'-O-Methyl
221 <220> FEATURE:
222 <221> NAME/KEY: misc_feature
223 <222> LOCATION: (31)..(36)
224 <223> OTHER INFORMATION: 2'-O-Methyl
226 <220> FEATURE:
227 <221> NAME/KEY: misc_feature
228 <222> LOCATION: (9)..(9)
229 <223> OTHER INFORMATION: 2'-deoxy-2'-C-Allyl
231 <400> SEQUENCE: 5
```
W--> 232 nnnnnnncug augagnnnga aannncgaaa nnnnnn36
```
235 <210> SEQ ID NO: 6
236 <211> LENGTH: 14
237 <212> TYPE: RNA
238 <213> ORGANISM: Artificial Sequence
240 <220> FEATURE:
241 <223> OTHER INFORMATION: Description of Artificial Sequence: Nucleic Acid Substrate
244 <220> FEATURE:
245 <221> NAME/KEY: misc_feature
246 <222> LOCATION: (1)..(5)
247 <223> OTHER INFORMATION: n stands for a, c, g, or u
249 <220> FEATURE:
250 <221> NAME/KEY: misc_feature
251 <222> LOCATION: (8)..(14)
252 <223> OTHER INFORMATION: n stands for a, c, g, or u
254 <400> SEQUENCE: 6
```
W--> 255 nnnnnchnnn nnnn   **14**
```
258 <210> SEQ ID NO: 7
259 <211> LENGTH: 35
260 <212> TYPE: RNA
261 <213> ORGANISM: Artificial Sequence
263 <220> FEATURE:
264 <223> OTHER INFORMATION: Description of Artificial Sequence: Enzymatic Nucleic Acid
267 <220> FEATURE:
268 <221> NAME/KEY: misc_feature
269 <222> LOCATION: (1)..(7)
270 <223> OTHER INFORMATION: n stands for a, c, g, or u
```

RAW SEQUENCE LISTING   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:21

Input Set : N:\LMOORE\pto.lm.txt
Output Set: N:\CRF4\10012004\J820622.raw

```
272 <220> FEATURE:
273 <221> NAME/KEY: misc_feature
274 <222> LOCATION: (16)..(18)
275 <223> OTHER INFORMATION: n stands for a, c, g, or u
277 <220> FEATURE:
278 <221> NAME/KEY: misc_feature
279 <222> LOCATION: (23)..(25)
280 <223> OTHER INFORMATION: n stands for a, c, g, or u
282 <220> FEATURE:
283 <221> NAME/KEY: misc_feature
284 <222> LOCATION: (31)..(35)
285 <223> OTHER INFORMATION: n stands for a, c, g, or u
287 <220> FEATURE:
288 <221> NAME/KEY: misc_feature
289 <222> LOCATION: (1)..(8)
290 <223> OTHER INFORMATION: 2'-O-Methyl
292 <220> FEATURE:
293 <221> NAME/KEY: misc_feature
294 <222> LOCATION: (12)..(12)
295 <223> OTHER INFORMATION: 2'-O-Methyl
297 <220> FEATURE:
298 <221> NAME/KEY: misc_feature
299 <222> LOCATION: (14)..(26)
300 <223> OTHER INFORMATION: 2'-O-Methyl
302 <220> FEATURE:
303 <221> NAME/KEY: misc_feature
304 <222> LOCATION: (28)..(29)
305 <223> OTHER INFORMATION: 2'-O-Methyl
307 <220> FEATURE:
308 <221> NAME/KEY: misc_feature
309 <222> LOCATION: (31)..(35)
310 <223> OTHER INFORMATION: 2'-O-Methyl
312 <220> FEATURE:
313 <221> NAME/KEY: misc_feature
314 <222> LOCATION: (30)..(30)
315 <223> OTHER INFORMATION: n stands for Inosine
317 <220> FEATURE:
318 <221> NAME/KEY: misc_feature
319 <222> LOCATION: (9)..(9)
320 <223> OTHER INFORMATION: 2'-deoxy-2'-C-Allyl
322 <400> SEQUENCE: 7
323 nnnnnnncug augagnnnga aannncgaan nnnnn                         35
326 <210> SEQ ID NO: 8
327 <211> LENGTH: 15
328 <212> TYPE: RNA
329 <213> ORGANISM: Artificial Sequence
331 <220> FEATURE:
332 <223> OTHER INFORMATION: Description of Artificial Sequence: Nucleic Acid Substrate
335 <220> FEATURE:
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:22

Input Set : N:\LMOORE\pto.lm.txt
Output Set: N:\CRF4\10012004\J820622.raw

lease Note:
se of n and/or Xaa have been detected in the Sequence Listing. Please review the
equence Listing to ensure that a corresponding explanation is presented in the <220>
o <223> fields of each sequence which presents at least one n or Xaa.

```
eq#:4; N Pos. 1,2,3,4,5,6,9,10,11,12,13,14,15
eq#:5; N Pos. 1,2,3,4,5,6,7,16,17,18,23,24,25,31,32,33,34,35,36
eq#:6; N Pos. 1,2,3,4,5,8,9,10,11,12,13,14
eq#:7; N Pos. 1,2,3,4,5,6,7,16,17,18,23,24,25,30,31,32,33,34,35
eq#:8; N Pos. 1,2,3,4,5,6,9,10,11,12,13,14,15
eq#:9; N Pos. 1,2,3,4,5,6,7,29,30,31,32,33,34,35
eq#:18; N Pos. 1,12,13
eq#:19; N Pos. 1
eq#:20; N Pos. 1
eq#:21; N Pos. 1,4,6,11,12,16,17,22
eq#:22; N Pos. 1,7,17
eq#:23; N Pos. 1
eq#:24; N Pos. 1
eq#:25; N Pos. 1
eq#:26; N Pos. 1
eq#:27; N Pos. 1
eq#:28; N Pos. 1
eq#:29; N Pos. 1
eq#:30; N Pos. 1
eq#:31; N Pos. 1,4,6,11,12
eq#:32; N Pos. 1
eq#:33; N Pos. 1,12,13
eq#:34; N Pos. 1
eq#:35; N Pos. 1
eq#:36; N Pos. 1
eq#:37; N Pos. 1
eq#:51; N Pos. 1,21,22
eq#:52; N Pos. 20,21
eq#:53; N Pos. 1,22,23
eq#:54; N Pos. 20,21
eq#:55; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:56; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:57; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:58; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:59; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:60; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:61; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:62; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:63; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21
eq#:64; N Pos. 20,21
eq#:65; N Pos. 20,21
eq#:66; N Pos. 20,21
eq#:67; N Pos. 20,21
eq#:68; N Pos. 20,21
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:22

Input Set : N:\LMOORE\pto.lm.txt
Output Set: N:\CRF4\10012004\J820622.raw

eq#:69; N Pos. 20,21
eq#:70; N Pos. 20,21
eq#:71; N Pos. 20,21
eq#:72; N Pos. 20,21
eq#:76; N Pos. 23,24

VERIFICATION SUMMARY   DATE: 10/01/2004
PATENT APPLICATION: US/10/820,622   TIME: 10:50:22

Input Set : N:\LMOORE\pto.lm.txt
Output Set: N:\CRF4\10012004\J820622.raw

```
L:168  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:232  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:255  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:323  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:346  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:392  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:712  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:741  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:777  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:850  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:898  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:946  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:974  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:1003 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:1031 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:1054 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:1082 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:1110 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:1144 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:1198 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:1221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:1260 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:1278 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:1301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
L:1329 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
L:1353 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
L:1845 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0
L:1893 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:0
L:1961 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:0
L:2014 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:54 after pos.:0
L:2041 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0
L:2069 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56 after pos.:0
L:2097 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:57 after pos.:0
L:2130 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:58 after pos.:0
L:2163 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:59 after pos.:0
L:2195 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:60 after pos.:0
L:2228 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:61 after pos.:0
L:2260 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:62 after pos.:0
L:2293 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:63 after pos.:0
L:2320 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:64 after pos.:0
L:2347 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65 after pos.:0
L:2429 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:66 after pos.:0
L:2516 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67 after pos.:0
L:2573 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68 after pos.:0
L:2630 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:0
L:2687 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:2739 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:2827 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:0
```

VERIFICATION SUMMARY   DATE: 10/01/2004
PATENT APPLICATION: **US/10/820,622**   TIME: 10:50:22

Input Set : **N:\LMOORE\pto.lm.txt**
Output Set: **N:\CRF4\10012004\J820622.raw**

L:2883 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0